

CROSSBOND®

HDF LAMINATE FLOORING



Vienna Collection



Powered
by  Välinge





BRAZILLIAN WALNUT | CB 8161 TX1



URBAN GREY | CB 8619 TX1



HARMONY OAK | CB 8609 TX1



CHOCOLATE OAK | CB 8608 TX1



SIAM TEAK | CB 8607 TX1



CANYON WOOD LIGHT | CB 8143 TX1



CASTEL OAK | CB 8125 TX1




COLUMBIAN WALNUT | CB 8194 TX1



AMERICAN RED OAK | CB 8610 TX1



URBAN ASHWOOD | CB 8611 TX1



MIDNIGHT OAK | CB 8612 TX1



CANYON WOOD DARK | CB 8144 TX1



OLIVE ASH | CB 8601 TX1



OAK CHERRY | CB 8602 TX1



LAUREL OAK LIGHT | CB 8173 TX1



MEDOC WALNUT | CB 8603 TX1




OVENGA KOL | CB 8604 TX1




LAUREL OAK DARK | CB 8174 TX1




NOCE LYON | CB 8205 TX1



AFRICAN RED WOOD | CB 8605 TX1




VINE YARD OAK | CB 8606 TX1



CHERRY PINE | CB 8159 TX1

MAKE A GRAND APPEARANCE WITH CROSSBOND HDF LAMINATE FLOORING

Laminate Flooring Structure



Strong and Robust Technology

2G is the brand name of the strong and robust angling installation System by Valinge.

Locking system for every needs

Floor installation should be a fast and simple process with perfect results every time. That means no gaps between the boards, no unevenness, and no squeaking sounds. Equally important, the floor should remain perfect for its lifetime of the floor. The Välinge range of locking systems provides an industry standard for installing floors. Since no floor is alike, these systems have been optimized for all flooring products, widths, and thicknesses.



ANGLING INSTALLATION

- Works with all materials
- For long and short side

PRODUCT FEATURE	TEST STANDARD	AC-3
Abrasion Resistance	EN13329	AC-3
Impact Resistance	EN13329	IC1
Stain Resistance	EN438	Group 5
Cigarette Burns	EN438	Class 5
Light Fastness	EN20105/A02	Class 7
Furniture Legs	EN426	No Damage
Chair Caster (Soft Roll)	EN425	No Damage
Thickness Swelling	EN13329	≤18%
Static Indentation	EN433	0.9 N/MM ²
Flame Resistance	EN13501	CFL-S1
Floor Design Dimensions	1220mm X 194mm X 8mm	

METRO DECORATIVE PVT. LTD.

Head Office : D-20/1, 2nd Floor,
Okhla Phase-II, New Delhi-110020

Work : Village Oogli, Yamuna Nagar Road,
Kala Amb, Himachal Pradesh-173030

Call : +91-11-41740150

Email : info@crossbondindia.com | **Web :** www.crossbondindia.com

